

The following is a complete listing of all claims in the application, with an indication of the status of each:

**Listing of claims:**

1 1-3. (canceled)

1 4. (currently amended) ~~The A~~ computer implemented method of resource  
2 allocation ~~recited in claim 2~~ to yield a benefit comprising the steps of:  
3 associating each customer's demand with a benefit gained;  
4 finding a time-varying allocation of resources that would yield a  
5 benefit which is based on the benefit gained associated with one or more  
6 customer's demands;  
7 implementing the time-varying allocation of resources amongst one or  
8 more customers to yield said benefit;  
9 discounting future benefits; and  
10 finding optimal allocations of resources from current time through  
11 current time plus lookahead based on discounted benefit and forecast demand,  
12 wherein the step of discounting future benefits is based on a future  
13 discounting algorithm,  
14 wherein the future discounting algorithm is a deterministic algorithm  
15 that achieves a competitive ratio of  $(1 + 1/L) (L + 1)^{1/L}$ , where L is a  
16 lookahead factor which models some amount of future demand known to a  
17 provider of the resource.

1 5. (currently amended) ~~The A~~ computer implemented method of resource  
2 allocation ~~recited in claim 2~~ to yield a benefit comprising the steps of:  
3 associating each customer's demand with a benefit gained;

4           finding a time-varying allocation of resources that would yield a  
5           benefit which is based on the benefit gained associated with one or more  
6           customer's demands;  
7           implementing the time-varying allocation of resources amongst one or  
8           more customers to yield said benefit;  
9           discounting future benefits; and  
10           finding optimal allocations of resources from current time through  
11           current time plus lookahead based on discounted benefit and forecast demand,  
12           wherein the step of discounting future benefits is based on a future  
13           discounting algorithm,  
14           wherein the algorithm is an intermittent reset algorithm that achieves a  
15           competitive ratio of  $1 + 4/(L-7)$ , where  $L$  is a lookahead factor which models  
16           some amount of future demand known to a provider of the resource.

1           6-14. (canceled)

1           15. (currently amended) ~~The A~~ computer implemented method of resource  
2           allocation ~~recited in claim 13~~ to yield a benefit comprising the steps of:  
3                   modeling a resource allocation problem mathematically;  
4                   in the model obtained from said modeling step, dividing time into  
5                   intervals of fixed length based on the assumption that demand is uniformly  
6                   spread throughout each such interval; and  
7                   associating each customer's demand with a benefit gained; and  
8                   finding a time-varying allocation of resources that would maximize a  
9                   benefit which is based on the benefit gained associated with one or more  
10                  customer's demands;  
11                  implementing the time-varying allocation of resources amongst one or  
12                  more customers to maximize said benefit;

13                   discounting future benefits; and  
14                   finding optimal allocations of resources from current time through  
15                   current time plus lookahead based on discounted benefit and forecast demand,  
16                   wherein the step of discounting future benefits is based on a future  
17                   discounting algorithm,  
18                   wherein the future discounting algorithm is a deterministic algorithm  
19                   that achieves a competitive ratio of  $(1 + 1/L) (L + 1)^{1/L}$ , where  $L$  is a  
20                   lookahead factor which models some amount of future demand known to a  
21                   provider of the resource.

1                   16. (currently amended) ~~The A~~ computer implemented method of resource  
2                   allocation ~~recited in claim 13~~ to yield a benefit comprising the steps of:  
3                   modeling a resource allocation problem mathematically;  
4                   in the model obtained from said modeling step, dividing time into  
5                   intervals of fixed length based on the assumption that demand is uniformly  
6                   spread throughout each such interval; and  
7                   associating each customer's demand with a benefit gained; and  
8                   finding a time-varying allocation of resources that would maximize a  
9                   benefit which is based on the benefit gained associated with one or more  
10                   customer's demands; and  
11                   implementing the time-varying allocation of resources amongst one or  
12                   more customers to maximize said benefit,  
13                   wherein the algorithm is an intermittent reset algorithm that achieves a  
14                   competitive ratio of  $1 + 4/(L-7)$ , where  $L$  is a lookahead factor which models  
15                   some amount of future demand known to a provider of the resource.

1                   17-24. (canceled)

1 25. (currently amended) ~~The~~ A method for server allocation in a Web server  
2 “farm” ~~as recited in claim 22~~ based on limited information regarding future  
3 loads to achieve close to greatest possible revenue based on an assumption  
4 that revenue is proportional to the utilization of servers and differentiated by  
5 customer class comprising the steps of:

6 modeling the server allocation problem mathematically;  
7 in the model, dividing time into intervals of fixed length based on the  
8 assumption that each site’s demand is uniformly spread throughout each such  
9 interval;

10 maintaining server allocations fixed for the duration of an interval,  
11 servers being reallocated only at the beginning of an interval, and a  
12 reallocated server being unavailable for the length of the interval during  
13 which it is reallocated providing time to “scrub” the old site (customer data)  
14 to which the server was allocated, to reboot the server and to load the new site  
15 to which the server has been allocated, each server having a rate of requests it  
16 can server in a time interval and customers share servers only in the sense of  
17 using the same servers at different times, but do not use the same servers at  
18 the same time; and

19 associating each customer’s demand with a benefit gained by the  
20 service provider in case a unit demand is satisfied and finding a time-varying  
21 server allocation that would maximize benefit gained by satisfying sites’  
22 demand,

23 wherein the future discounting algorithm is a deterministic algorithm  
24 that achieves a competitive ratio of  $(1 + 1/L) (L + 1)^{1/L}$ , where  $L$  is a  
25 lookahead factor which models some amount of future demand known to a  
26 provider of the resource.

1           26. (currently amended) ~~The~~ A method for server allocation in a Web server  
2           “farm” ~~as recited in claim 22~~ based on limited information regarding future  
3           loads to achieve close to greatest possible revenue based on an assumption  
4           that revenue is proportional to the utilization of servers and differentiated by  
5           customer class comprising the steps of:  
6                     modeling the server allocation problem mathematically;  
7                     in the model, dividing time into intervals of fixed length based on the  
8           assumption that each site’s demand is uniformly spread throughout each such  
9           interval;  
10                    maintaining server allocations fixed for the duration of an interval,  
11           servers being reallocated only at the beginning of an interval, and a  
12           reallocated server being unavailable for the length of the interval during  
13           which it is reallocated providing time to “scrub” the old site (customer data)  
14           to which the server was allocated, to reboot the server and to load the new site  
15           to which the server has been allocated, each server having a rate of requests it  
16           can server in a time interval and customers share servers only in the sense of  
17           using the same servers at different times, but do not use the same servers at  
18           the same time; and  
19                     associating each customer’s demand with a benefit gained by the  
20           service provider in case a unit demand is satisfied and finding a time-varying  
21           server allocation that would maximize benefit gained by satisfying sites’  
22           demand,  
23                     wherein the algorithm is an intermittent reset algorithm that achieves a  
24           competitive ratio of  $1 + 4/(L-7)$ , where  $L$  is a lookahead factor which models  
25           some amount of future demand known to a provider of the resource.

1           27. (canceled)